



Material: Mosites #14324

Version 2.0

Revision Date: 01-04-18

---

**Section 1** Product and Company Identification

---

Trade Name	Mosites #14324
Product Group	Silicone Rubber Compound
Manufacturer	Mosites Rubber Company 2720 Tillar Street Fort Worth, Texas 76107 USA
Customer Information	Tel (817) 335-3451, Fax (817) 870-1564 <a href="http://www.mositesrubber.com">www.mositesrubber.com</a>
Emergency Telephone no.	(817) 335-3451
Office hours:	7:30am-5pm CST Monday-Thursday, 8am-3:30pm CST Friday

---

**Section 2** Hazards Identification

---

Potential Health Effects	
Eyes	May cause eye irritation .
Inhalation	May cause nose, throat and lung irritation.
Repeated exposure	Vapors may have adverse effects on the reproductive system based on animal testing of a component of this material.
Target Organs	Female reproductive system
Carcinogenicity	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

---

**Section 3** Composition/information on ingredients

---



Material: Mosites #14324

Version 2.0

Revision Date: 01-04-18

Type	CAS No.	Substance	Content (wt%)
Impurity	556-67-2	Octamethyl cyclotetrasiloxane	<1.0%
Ingredient	68037-59-2	Polydimethyl hydrogenmethyl siloxane	<= 5.0%
By-product	1333-74-0	Hydrogen gas	varies

**Section 4 First-aid Measures**

Inhalation	Remove to fresh air. Seek medical attention if irritation persists.
Skin Contact	Wipe away excess material then wash with soap and water. Seek medical attention if irritation persists.
Eye Contact	Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
Ingestion	If victim is conscious: drink water as a precaution. Consult a physician.
General Advice	When symptoms persist or in all cases of doubt seek medical advice.

**Section 5 Fire-fighting Measures**

Flammable properties	not applicable
Fire and Explosion hazards	Burning may produce hydrogen gas, various hydrocarbon fragments, carbon dioxide, carbon monoxide, silicone dioxide, and formaldehyde.
Suitable extinguishing media	Carbon dioxide (CO <sub>2</sub> ), foam, water, dry chemical
Firefighting Instructions	Wear self-contained breathing apparatus and protective suit. Evacuate personal to safe areas. Do not allow run-off from fire fighting to enter drains or water courses.



Material: Mosites #14324  
Version 2.0

Revision Date: 01-04-18

---

**Section 6 Accidental Release Measures**

---

Personal precautions	Wear proper protective gear.
Containment	Prevent material from entering drains or water courses.
Methods for clean up	Sweep up to avoid a slipping hazard while observing all environmental regulations.

---

**Section 7 Handling and Storage**

---

Handling	Protect from contamination. Provide appropriate exhaust ventilation to prevent dust build-up. Wash hands immediately after handling product. When using do not eat, drink, or smoke.
Storage	Store in a clean, dry location away from heat or flames.

---

**Section 8 Exposure controls and personal protection**

---

Ventilation	Mechanical ventilation in confined areas is recommended.
Personal Protective Equipment	
Respiratory	not normally required with ventilation
Hand	as required by company policy
Eye	as required by company policy
Hygiene	wash with soap and water after contact

---

**Section 9 Physical and Chemical properties**

---

Form	sheets, or random shapes
Color	translucent



Material: Mosites #14324

Version 2.0

Revision Date: 01-04-18

Specific Gravity 1.12 g/cm<sup>3</sup>  
Water solubility insoluble

**Section 10 Stability and Reactivity**

Conditions to avoid Processing temperatures > 200°C (>392°F). Avoid heating for prolonged periods above the upper processing limit.

Incompatibility Reacts with acids, bases, alcohols, water, oxidizing agents and catalyst to produce hydrogen gas.

Hazardous decomposition Releases flammable hydrogen gas as well as small amounts of benzene and formaldehyde.

Hazardous reactions During drying, cleaning and molding, small amounts of hazardous gases and/or particulate matter may be released that may irritate eyes, nose and throat.

**Section 11 Toxicological information**

Information

Skin irritation none

Eye irritation none

Repeated dose toxicity none

Carcinogenicity female reproductive at 700 ppm

Mutagenicity none in animals

Reproductive toxicity minor at 500ppm and 700ppm

Teratogenicity none in animals

**Section 12 Ecological information**

This substance is not expected to produce toxic effects.



Material: Mosites #14324  
Version 2.0

Revision Date: 01-04-18

---

**Section 13 Disposal considerations**

---

Waste Disposal	Dispose in accordance with all company and local regulations.
Packaging disposal	Dispose of in accordance with all company and local regulations.

---

**Section 14 Transport information**

---

This product is not regulated for transport by land, sea or air. This includes: US DOT, Canada TDG Surface, IMDG-Code, and ICAO-TI/IATA-DGR.

---

**Section 15 Regulatory information**

---

This product contains no materials known to violate the following regulations:

EINECS  
TSCA  
TSCA 12 (b)  
AICS  
DSL  
ENCS (JP)  
KECI (KR)  
PICCS (PH)  
INV (CN)  
ISHL (JP)  
NZIOC  
NZ HSNO  
CERCLA  
SARA 302 EHS  
SARA 311/312  
SARA 313  
HAPS  
RoHS



Material: Mosites #14324

Version 2.0

Revision Date: 01-04-18

California proposition 65

PA Right to Know

Silica, amorphous, fumed

NJ Right to Know

Silica, amorphous, fumed

Section 16

Other information

Restrictions for use

Do not use Mosites Rubber Company materials in medical applications involving implantation in the human body or in contact with internal body fluids or tissues.

The information provided in the Safety Data Sheet is correct to the best of our knowledge as of the date of publication. This SDS contains selected regulatory information and is not intended to include all regulations. It is the responsibility of the user to comply with all applicable rules, regulations, and laws relating to the use of this product.