

Material: Mosites #14000 RTV

Version 2.0

Revision Date: 3-14-23

Section 1	Product and Company Identification		
Trade Name	Mosites #14000 RTV		
Product Group	Silicone Adhesive Sealant		
Manufacturer	Mosites Rubber Company		
	2720 Tillar Street		
	Fort Worth, Texas 76107		
	USA		
Customer Information	Tel (817) 335-3451, Fax (817) 870-1564 www.mositesrubber.com		
Emergency Telephone no.	(817) 335-3451		
Office hours: 7:30am-5pm CST Monday-Thursday, 8am-3:30pm CST Friday			
Section 2	Hazards Identification		

Potential Health Effects Eyes	May cause eye irritation .
Inhalation	May cause nose, throat and lung irritation.
Repeated exposure	Vapors may have adverse effects on the reproductive system based on animal testing of a component of this material.
Target Organs Carcinogenicity	Female reproductive system None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Section 3

Composition/information on ingredients



Material:	Mosites #14000 RTV
-----------	--------------------

Version 2.0		Revision Date: 3-14-23
Component	CAS No.	Weight %
Polydimethylsiloxane	70131-67-8	45-60
Dimethylpolysiloxane	63148-62-9	15-50
Silica	68611-44-9	10-19
Methyltriacetoxysilane	4253-34-3	3-12
Dibutyltindilaurate	77-58-7	0.1-3.0

Section 4	First-aid Measures
Inhalation	Remove to fresh air. Seek medical attention if irritation persists.
Skin Contact	Wipe away excess material then wash with soap and water. Seek medical attention if irritation persists.
Eye Contact	Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
Ingestion	If victim is conscious: drink water as a precaution. Consult a physician.
General Advice	When symptoms persist or in all cases of doubt seek medical advice.
Section 5	Fire-fighting Measures
Flammable properties Fire and Explosion hazards	flash point >300 °C (>600 °F) Burning may produce various hydrocarbon fragments, carbon dioxide, carbon monoxide, silicone dioxide, and formaldebyde

Suitable extinguishing media Firefighting Instructions silicone dioxide, and formaldehyde. Carbon dioxide (CO2), foam, water, dry chemical Wear self-contained breathing apparatus and protective suit. Evacuate personal to safe areas. Do not allow run-off from fire fighting to enter drains or water courses.



Material: Mosites #14000 RTV

Version 2.0

Revision Date: 3-14-23

Section 6	Accidental Release Measures		
Personal precautions	Wear proper protective gear.		
Containment	Prevent material from entering drains or water		
containment	courses.		
Methods for clean up	Sweep up to avoid a slipping hazard while		
	observing all environmental regulations.		
Section 7	Handling and Storage		
Handling	Protect from contamination. Provide appropriate		
	exhaust ventilation to prevent dust build-up.		
	Wash hands immediately after handling product.		
	When using do not eat, drink, or smoke.		
Storage	Store in a clean, dry location away from heat or		
	flames.		
Section 8	Exposure controls and personal protection		
Ventilation	Mechanical ventilation in confined areas is		
	recommended.		
Personal Protective Equipr	ment		
Respiratory	not normally required with ventilation		
Hand	as required by company policy		
Eye	as required by company policy		
Hygiene	wash with soap and water after contact		
Section 9	Physical and Chemical properties		
Form	thick liquid		
	translucent		
Color Specific Gravity	1.09 g/cm ³		



Water solubility	insoluble
Section 10	Stability and Reactivity
Conditions to avoid	Processing temperatures > 200°C (>392°F). Avoid heating for prolonged periods above the upper processing limit.
Incompatibility	Reacts with acids, bases, alcohols, water, oxidizing agents and catalyst to produce hydrogen gas.
Hazardous decomposition	Releases flammable hydrogen gas as well as small amounts of benzene, acetic acid, and formaldehyde.
Hazardous reactions	During drying, cleaning and molding, small amounts of hazardous gases and/or particulate matter may be released that may irritate eyes, nose and throat.
Section 11	Toxicological information
Information	
Oral	unknown
Dermal	unknown
Inhalation	unknown
Skin irritation	unknown
Eye irritation	unknown
Repeated dose toxicity	unknown
Carcinogenicity	unknown
Mutagenicity	unknown
Reproductive toxicity	unknown
Teratogenicity	unknown



Material: Mosites #14000 RTV Version 2.0

Revision Date: 3-14-23

This substance is not expected to produce toxic effects.

Section 13	Disposal considerations
Waste Disposal	Dispose in accordance with all company and local regulations.
Packaging disposal	Dispose of in accordance with all company and local regulations.

Section 14	Transport information	

This product is not regulated for transport by land, sea or air. This includes: US DOT, Canada TDG Surface, IMDG-Code, and ICAO-TI/IATA-DGR.

Section 15	Regulatory information
This product contains	no materials known to violate the following regulations:
EINECS	
TSCA	
TSCA 12 (b)	
AICS	
DSL	
ENCS (JP)	
KECI (KR)	
PICCS (PH)	
INV (CN)	
ISHL (JP)	
NZIOC	
NZ HSNO	
CERCLA	
SARA 302 EHS	

nronosition CE		

California proposition 65 PA Right to Know

NJ Right to Know

Material: Mosites #14000 RTV

Section 16

Version 2.0

SARA 311/312 SARA 313 HAPS RoHS

Other information

Restrictions for use

Do not use Mosites Rubber Company materials in medical applications involving implantation in the human body or in contact with internal body fluids or tissues.

The information provided in the Safety Data Sheet is correct to the best of our knowledge as of the date of publication. This SDS contains selected regulatory information and is not intended to include all regulations. It is the responsibility of the user to comply with all applicable rules, regulations, and laws relating to the use of this product.

NOSITES RUBBER COMPANY, INC. SAFETY DATA SHEET

Revision Date: 3-14-23